

3057 C

New FORKSEAL

ISO 17712:2013
approved

PROTECTION - CONTROL - IDENTIFICATION - TRACKING



LeghornGroup

Protection - Control - Identification - Tracking

Since 1978

NEW FORKSEAL is the result of 25 years of experience in counteracting any kind of attempt at tampering in the transport field.

This barrier seal will help you to avoid all those problems related to the illegal immigration and the introduction of contaminating material.



Using NEW FORKSEAL avoids the use of other seals.

POINT 1: the barrier, pivot and locking mechanism **have got the same numbering**


POINT 2: the bolt seal may also have **bar code**

POINT 3: the name of the CLIENT is clearly engraved on the barrier (1) and on the bolt (3)


POINT 4: the name of the MANUFACTURER is clearly engraved on the barrier .

POINT 5: New Forkseal is compliant with I.S.O. measures. Therefore, it doesn't cause any risks to people or objects

POINT 6: New Forkseal is adjustable and suitable to all the sizes of a container.




We regularly keep a data base both with the name of the Client and its customisation and numbering. (SECURITY CHAIN)



1)
ISO 17712:2013 approved

2)


Compliant with the Rules introduced by the Ministry of Health. (Stated from: Requirements for export of meat and meat products from Italy to Japan)



...

Meat and meat products dispatched to Japan, must be combined with a certificate issued by the official veterinarian. The type of seal is provided in the Annex respectively for meat and beef products, meat and pig meat products and sheep meat and goat meat products.

In the event that meat and meat products are dispatched to Japan through other countries, they will have to be placed in a sealed container by Italian health authorities with an appropriate seal provided in the Annex. The seal must have the following characteristics : 3,5 cm round shape diameter which shows on the top : ITALIAN REPUBLIC. In the middle, it shows the approval number of the establishment; above it, the progressive numbering of the seal and at the bottom : Safety seal- TAMPER EVIDENTSEAL.




NUMBERING AND CUSTOMISATION :

- ° **ON THE BARRIER:** The customisation and the numbering are engraved both on the metal bar and on the bolt lock.
- ° Sequenced numbering up to 6 digits
- ° Alphanumeric numbering possibility
- ° **ON THE BOLT LOCK:** Customisation up to 20 characters
- ° Bar code possibility
- ° Bolt lock available in 16 different colours

MATERIAL:

- ° Galvanised steel

NEW FORKSEAL: MEASURES



1




1.) Position **NEW FORKSEAL** between the central barriers of the container and insert the first joint the closest possible to the barrier...

2



2.) ... insert the second joint exactly in connection with the first one.
The result is a snap-fit box.

3




3.) ...Insert the bolt which **HAS THE SIZE** to avoid any attempt at tampering...

4.) ... Insert the bolt lock and set off the locking mechanism.
FROM THIS POINT FORWARD, THERE IS NO POSSIBILITY OF TAMPERING.

4



General e-mail: info@leghorngroup.com

LeghornGroup ITALY
www.leghorngroup.it

LeghornGroup USA
www.leghorngroup.com

LeghornGroup BELGIUM
www.leghorngroup.be
www.leghorngroup.nl

LeghornGroup SAUDI ARABIA
www.leghorngroup.sa

LeghornGroup CZECH REP.
www.leghorngroup.cz
www.leghorngroup.pl

LeghornGroup GREECE
www.leghorngroup.gr

LeghornGroup MOLDOVA
www.leghorngroup.ro

LeghornGroup SPAIN
www.leghorngroup.es



LeghornGroup

Protection - Control - Identification - Tracking

Since 1978

LeghornGroup srl

34/36, Via degli Arrotini - 57121 Livorno, Tuscany, Italy

Ph: +39 0586 406376 - Fax: +39 0586 407621 - www.leghorngroup.com - info@leghorngroup.com

PROTECTION – CONTROL - IDENTIFICATION – TRACKING