



**LeghornGroup**  
*Protection - Control - Identification - Tracking*  
*Since 1978*

# **SECURITY SEALS GENERAL INDEX**


**PROTECTION  
CONTROL  
IDENTIFICATION  
TRACKING**




**Customs seals.  
Lead seals. To be used with  
sealing wire.  
Pliers are required.**



**Art: PLOMBEX. Plastic seal .  
To be used with sealing  
wire.  
Pliers are required.**



**Lead seal with incorporated  
sealing wire.  
Pliers are required.**



**Art: ALUSEAL.  
Aluminium seal. To be used  
with sealing wire.  
Pliers are required.**



**Art: ALUSEAL.  
Aluminium seal. To be used  
with sealing wire.  
Pliers AREN'T required.**



**Art: ALUSEAL.  
Aluminium seal. To be used  
with sealing wire.  
Pliers are required.**

**ART 464**

Pliers for lead seals and Plombex.

Made of sheet iron.

Art 464/175 : for lead seals up to 12 mm diameter.

Art 464/200 : for lead seals up to 15 mm diameter.

**ART 466**

Sealing pliers for lead seals plated with sturdy plastic handles. Art 466/180 : for lead seals up to 12 mm diameter.

Art 466/220: for lead seals up to 15 mm diameter.




Art: CRALUPLIER closes only an aluminium seal CRALUSEAL.

## WIRE SEAL WITHOUT USING PLIERS



Art: ANCORCLICK  
Plastic seal. Laser print.




Art: ANCORFLAG  
Plastic seal. Laser print. Bar code possibility



Art: ANCORFLAG RFID  
Plastic seal. Laser print  
RFID UHF -HF/NFC seal

## WIRE SEAL WITHOUT USING PLIERS



**Art: TRITONSEAL.** Plastic wire seal. Available with laser print or hot print



**Art: TWISTSEAL .** Plastic wire seal. Laser print. Bar code possibility.

## SEALS SEALING WIRE



**Art: SPR.Z :** Galvanised sealing wire  
1 mm (kg 1 = 400 m)  
For wire seals



**Art: SPR. I :** Stainless steel sealing wire  
1 mm (kg 1 = 400 m)  
For wire seals



**Art: SPR.R :** Copper sealing wire  
1 mm (kg 1 = 370 m)  
For wire seals



**Art: STS-PL PLASTIFIED  
CABLE** composed of 7  
plastic coated wires of 0,32  
mm diameter  
° Total Diameter 0,9 mm  
° 1 kg = 406 metres.



**Art: SPR.O :**  
**Brass sealing wire**  
1 mm (kg 1 = 350 m)  
For wire seals



**Art: SPR.NR :** nylon core +  
copper wire 1mm diameter  
1 reel= 300g = 180 m : For  
wire seals.)



**Art: SPR.ZPL:** plastic  
coated, galvanised sealing  
wire  
1,1 mm diameter.  
For wire seals




**Art: STW-PL**  
**PLASTIFIED STEEL WIRE**  
1,1 mm diameter.  
For wire seals



**METAL CORE CUSTOMS  
TWINE**


# PLASTIC ADJUSTABLE SEAL WITH METAL CLOSURE




**Art: MEROPE SEAL** Plastic seal with metal closure.  
Laser print.  
1x 161 mm



**Art: ALCYONE SEAL** Plastic seal with metal closure.  
Laser print.  
1x 161 mm




**Art: JUPITER SEAL** Plastic seal with metal closure.  
Laser print.  
1,3x 325 mm  
With or without pre-cutting.



**Art: JUPITER SEAL** Plastic seal with metal closure.  
Laser print.  
2 x 315 mm  
2 x 425 mm  
With or without pre-cutting



**Art: JUPITER SEAL** Plastic seal with metal closure.  
Laser print.  
3,3 x 315 mm  
3,3 x 425 mm  
With or without pre-cutting



**Art: ADJUSTESEAL** Plastic seal with metal closure.  
Laser print.  
2 x 315 mm  
2 x 425 mm  
With or without pre-cutting.

# PLASTIC ADJUSTABLE RFID SEAL WITH METAL CLOSURE

## RFID



**Art: RFID JUPITER SEAL**  
Plastic seal. Laser print.  
RFID UHF –HF/NFC seal  
1,3x 325 mm  
With or without pre-cutting

## RFID



**Art: RFID JUPITER SEAL**  
Plastic seal. Laser print.  
RFID UHF –HF/NFC seal  
2 x 315 mm  
2 x 425 mm  
With or without pre-cutting

## RFID




**Art: RFID JUPITER SEAL**  
Plastic seal. Laser print.  
RFID UHF –HF/NFC seal  
3,3 x 315 mm  
3,3 x 425 mm  
With or without pre-cutting

## RFID




**Art: RFID SCITE SEAL**  
Plastic seal. Laser print.  
RFID UHF –HF/NFC seal  
3,3 x 315 mm  
3,3 x 425 mm  
With or without pre-cutting

# PLASTIC ADJUSTABLE SEAL WITH METAL CLOSURE



**Art: SCITE SEAL LGH**  
Plastic seal with metal  
closure.  
2x270 mm



**Art: ICARUS SEAL Plastic**  
seal with metal closure.  
2x220 mm



**Art: HECTORSEAL SEAL**  
Plastic seal with metal  
closure.  
Flat tail.  
7,5x430 mm


## RFID



**Art: RFID HECTORSEAL**  
Plastic seal. Laser print.  
RFID UHF -HF/NFC seal  
7,5x430 mm  
With or without pre-cutting



# COMPLETELY PLASTIC ADJUSTABLE SEALS



**Art: TWIGGY SEAL Plastic Seal. Laser print.**  
2,5x190 mm  
2,5x250 mm



**Art: FRISSO SEAL Plastic seal. Ink transfer printing.**  
Tear-off receipt  
2 x 315 mm



**Art: TITAN SEAL Plastic seal. Ink transfer printing.**  
5x328 mm  
Label: 72x110 mm

## RFID



**Art: TITAN SEAL RFID Plastic seal. Ink transfer printing.**  
5x328 mm  
5x424 mm  
Label: 72x110mm  
RFID UHF -HF/NFC seal




**Art: HERACLIS SEAL Plastic seal. Ink transfer printing.**  
5x298 mm  
5x394 mm  
Label: 72x80 mm




**Art: ORION SEAL Plastic seal. Ink transfer printing.**  
5x258 mm  
5x354 mm  
Label: 72x40 mm


# COMPLETELY PLASTIC ADJUSTABLE SEALS



**Art: LONGSEAL**  
Plastic security seal. With  
pre-cutting. Laser print.  
Measures: 6x420 mm



**Art: SIMPLESEAL**  
Plastic security seal. With  
pre-cutting. Laser print.  
Measures : 6x294 mm




**Art: BAGSEAL**  
Plastic security seal. Ink-  
transfer printing.  
Measures : 6x420 mm



**Art: EASYTHIGT**  
Plastic security seal. Ink-  
transfer printing.  
Measures : 6x294 mm



**Art: HIDRASEAL**  
Plastic adjustable seal.  
Laser print.  
Measures : 7x400 mm  
label: 24x50 mm  
Self-locking tail.



**Art: RINGLABELSEAL**  
Plastic seal. Laser print.  
Measures 7x215 mm  
7x 260 mm



**Art: HORNSEAL**  
Plastic seal. Laser print.  
Measures 7x215 mm  
7x 260 mm



**Art: HERMES LOCK**  
Plastic seal. Ink transfer  
printing.  
Measures 2x264 mm



**Art: CARSEAL WW 003**  
Plastic seal. Laser print.  
Measures 8x200 mm



**Art: AELLOSEAL**  
Plastic seal. Ink transfer  
printing.  
Measures : 9x250 mm



Art: PALLETSEAL plastic seal. Laser print.  
Measures 30x65 mm

# RFID



Art: PALLETSEAL RFID Plastic seal. Laser print.  
Measures 30x65 mm  
RFID UHF -HF/NFC seal.


## DRUM SEALS



Art: STRAPSEAL DM  
Customised metal strap with  
progressive numbering.  
Measures 7x100 mm



Art: DRUMSEAL  
Customised plastic seal with  
progressive numbering.



Art: DRUMLOCK  
Self-locking plastic seal.



**Art: PADLOCK 180-1**  
Plastic padlock seal with  
1mm metal wire. Laser print.



**Art: PADLOCK 160-4**  
Plastic padlock seal with  
4mm metal closing ring.  
Laser print.




**Art: ZETESEAL**  
Plastic padlock seal. Laser  
print. Extremely cheap.



**Art: CALAIDSEAL**  
Plastic padlock seal. Laser  
print.



**Art: OCYPITSEAL**  
Plastic padlock seal. Laser  
print.



**Art: ZIPSTOP STANDARD**  
Seals with arrow shape to stop the closure of the security bag. Customisable also with progressive number with laser print.



**Art: ZIPSTOP LONG**  
Seals with arrow shape to stop the closure of the security bag. Customisable also with progressive number with laser print. Long version for bar code.

## CLOSURES FOR RIGID BOXES




**Art: POSTAL BLOCK**  
Plastic closure for rigid boxes. Reusable multiple times.




**Art: TOTEBOX 17x14 mm**  
Plastic closure for rigid boxes



**Art: TOTEBOX 37x16 mm**  
Plastic closure for rigid boxes. It can be customised with also the numbering with laser.



**Art: URANUS SEAL**  
Fire-extinguisher seal.  
Extremely cheap.




**Art: ARACNE SEAL**  
Plate seal.  
Measures 110 mm  
180 mm



**Art: PLASTIC RIVETS**  
Measures 8x12 mm



**Art: CONNECTIONLOCK**  
**MEASURES**  
ART 311:For DN20 (3/4")  
ART 312:For DN20 (3/4")  
High thickness  
ART 313:For DN25 (1")  
ART 314:For DN40 (1 1/2")



**Art: LONGSEAL RFID**  
**MEASURES**  
ART 311:For DN20 (3/4")  
ART 312:For DN20 (3/4")  
High thickness  
ART 313:For DN25 (1")  
ART 314:For DN40 (1 1/2")  
RFID UHF -HF/NFC



**Art: NYLON CABLE TIES.**  
All sizes  
White and black colour



**Art: NYLON CABLE TIES.**  
Colours: red-green-black-  
yellow-blue and white



**Art: NYLON CABLE TIES WITH IDENTIFICATION LABEL.**  
Measures 2,5x100 mm  
2,5x200 mm




**Art: NYLON CABLE TIES WITH IDENTIFICATION LABEL.**  
Measures 2,5x100 mm  
2,5x200 mm



**Art: PERSEPHONE**  
Reusable plastic closure.  
Measures: 80 mm  
95 mm  
112 mm  
140 mm  
171 mm  
232 mm  
300 mm  
350 mm





**Art: SALTCRIMP.** Self blocking aluminium seal to apply to salami string.  
Measures 32,5x17 mm



**Art: ROUND CRIMP** Self blocking aluminium seal to apply to salami string.  
Measures 22x47 mm



**Art: ROUND CRIMP** Self blocking aluminium seal to apply to salami string.  
Measures 15x45 mm



**Art: ROUND CRIMP** Self blocking aluminium seal to apply to salami string.  
Measures 15x37 mm



**Art: Eyelet seals** for bags and packaging.



**Art: Eyelet seals** for cheese factory.



**Art: Eyelet seals for prosciutto authenticity mark.**



**Art: Eyelet seals for documents**



**Art: AUTOSEAL 015  
Self blocking seal  
Measures 23x9 mm**




**Art: MATCRIMP 55x10 mm  
Self blocking seal.**



**Art: MATCRIMP 34x8 mm  
Self blocking seal.**

# EQUIPMENTS AND METALLIC CLOSURES



Art: FLATCRIMP 15x61 mm




Art: SEALING GUN FOR  
HAM AND CURED MEAT  
SEALS



Art: ONE CHANNEL  
PNEUMATIC EYELET  
PUNCH




Art: ONE CHANNEL PEDAL  
EYELET PUNCH



Art: STRAPSEAL Metal strap seal customisable and with progressive numbering  
Measures 7x210 mm




Art: BALLOONSEAL STRAPSEAL Metal strap seal customisable and with progressive numbering in relief.  
Measures : 9,5x215 mm




Art: METALSEAL Metal strap seal customisable and with progressive numbering in relief.  
Measures : 8x217 mm


## CABLE SEALS WITH ALUMINIUM BODY



Art: CABLESEAL 1 mm  
Cable seal  
Laser print  
Measures 1x180 mm




Art: CABLESEAL 1,5 mm  
Cable seal  
Laser print  
Measures 1,5x180 mm




Art: CABLESEAL 2 mm  
Cable seal  
Laser print  
Measures 2x200 mm

# CABLE SEALS WITH ALUMINIUM BODY



Art: CABLESEAL 2,5 mm  
Cable seal  
Laser print  
Measures 2,5x200 mm



Art: CABLESEAL 3 mm  
Cable seal  
Laser print  
Measures 3x200 mm

## ISO 17712:2013



Art: CABLESEAL 3,5mm  
Cable seal  
Laser print  
Measures 3,5x200 mm  
ISO 17712:2013



Art: CABLESEAL 4 mm  
Cable seal  
Laser print  
Measures 4x250 mm

## ISO 17712:2013



Art: CABLESEAL 5mm  
Cable seal  
Laser print  
Measures 5x250 mm  
ISO 17712:2013

## RFID

## ISO 17712:2013



Art: RFID LOGISTIC  
CABLESEAL 3,5mm  
Cable seal  
Laser print  
Measures 3,5x200 mm  
ISO 17712:2013

## CABLE SEALS WITH ALUMINIUM BODY

**RFID**  
ISO 17712:2013




**Art: RFID ANTITAMPER  
CABLESEAL 3,5 mm  
Cable seal  
Laser print  
Measures 3,5x300 mm  
ISO 17712:2013**

**RFID**




**Art: RFID LOGISTIC MINI  
CABLESEAL 3,5 mm  
Cable seal  
Laser print  
Measures 3,5x300 mm**

## CABLE SEALS WITH PLASTIC BODY



**Art: CRONUS SEAL  
Cable seal. Plastic body.  
Laser print  
Measures : 2,2 mm**



**Art: BOREASEAL  
Cable seal. Plastic body.  
Laser print  
Measures : 1,5x200 mm**



**Art: ATLAS SEAL  
Cable seal. Plastic body.  
Laser print  
Measures : 4x350 mm**

RFID

ISO 17712:2013



Art: NEPTUNE SEAL  
Bolt seal.  
Laser print. Appropriate for  
container

ISO 17712:2013



Art: RFID LOGISTIC  
NEPTUNE SEAL  
Bolt seal.  
Laser print. Appropriate for  
container

RFID

ISO 17712:2013



Art: RFID ANTITAMPER  
NEPTUNE SEAL  
Bolt seal.  
Laser print. Appropriate for  
container

RFID



Art: RAILCARSEAL  
Bolt seal appropriate for  
railway wagons.  
Measures 12 mm and 14 mm  
Diam.

RFID



Art: ACTIVE MENTORSEAL  
Bolt seal.  
Appropriate for container

RFID



Art: TAGETE TAG RFID  
.METAL TAG FOR  
CONTAINERS

## ISO 17712:2013



**Art: FORKSEAL C**  
**Metallic seal with fork shape**  
**appropriate for containers.**  
**Double numbering**

## ISO 17712:2013



**Art: NEW FORKSEAL**  
**Metallic seal with fork shape**  
**appropriate for containers.**  
**Double numbering**

## ISO 17712:2013



**Art: BLOCK BAR**  
**Metallic seal with fork shape**  
**appropriate for containers.**  
**Double numbering**



**Art: CARGO CLAMP**  
**The most sturdiest barrier**  
**seal for containers. Triple**  
**numbering.**





**Art: CABLES CUTTER**  
Up to 3 mm diam



**Art: BATTERY SHEAR**  
Up to 16 mm diam. ability to cut



**Art: BOLT LOCK SHEAR**  
UP TO 14 mm



**Art: MANUAL CUTTER FOR PADLOCK SEALS**  
Maximum material diameter capable of cutting 8 mm diam

# ELECTRONIC LOCKS FOR TRANSPORT



**Art: SPYLOCK** is an electronic lock (reusable), Especially designed to ensure a greater security on the logistic and transport chain.



**Art: E LOCK STANDARD** is a BURGLAR-PROOF device able to ensure control and warranty on goods.



**Art: E LOCK GOLD** is a electronic UNIQUE device in the market because it is SELF-POWERED : powered by a long lasting USB rechargeable battery




**Art: GPS DETECTOR** is an automatic GSM/GPS device able to communicate its positioning in real time



**Art: ALERT LOCK** is a SELF-POWERED electronic device for any access control. It is able to send an alert message to a PC or mobile in the event that doors are opened or tampered.

# RFID



**Art: JANUS GATE RFID**  
**Leghorngroup system to**  
**check the gate in operations**  
**in more routes**

# RFID



**Art: RFID TROLLEY**  
**RFID high-power reader,**  
**MOBILE.**

# RFID




**Art: RFID readers**

# WORLD CONTACTS

General e-mail: [info@leghorngroup.com](mailto:info@leghorngroup.com)

28



**LeghornGroup** – Italy  
[www.leghorngroup.it](http://www.leghorngroup.it)

**LeghornGroup** – U.S.A.  
[www.leghorngroup.com](http://www.leghorngroup.com)

**LeghornGroup** – Belgium  
[www.leghorngroup.be](http://www.leghorngroup.be)  
[www.leghorngroup.nl](http://www.leghorngroup.nl)

**LeghornGroup** – Saudi Arabia  
[www.leghorngroup.sa](http://www.leghorngroup.sa)

**LeghornGroup** – Czech Rep.  
[www.leghorngroup.cz](http://www.leghorngroup.cz)  
[www.leghorngroup.pl](http://www.leghorngroup.pl)

**LeghornGroup** – Greece  
[www.leghorngroup.gr](http://www.leghorngroup.gr)

**LeghornGroup** – Moldova  
[www.leghorngroup.ro](http://www.leghorngroup.ro)

**LeghornGroup** – Spain  
[www.leghorngroup.es](http://www.leghorngroup.es)



## LeghornGroup

*Protection - Control - Identification - Tracking*

*Since 1978*

LeghornGroup srl  
34/36, Via degli Arrotini - 57121 Livorno Tuscany Italy  
Ph: +39 0586 406376 - Fax: +39 0586 407621  
[www.leghorngroup.com](http://www.leghorngroup.com) - [info@leghorngroup.com](mailto:info@leghorngroup.com)