



3,3x315 mm
3,3x425 mm




Adjustseal: adjustable plastic seal
General presentation with technical data



**Size in
mm and inches**

Adjustseal 3,3x315 mm

Adjustseal 3,3x425 mm



Standard colours

Adjustseal is manufactured in seven standard colours:

Red
Yellow
Green
Light blue
White
Blue
Orange

Other colours may be manufactured upon customers' request and for a MOQ of 50.000 seals

Seal made by LeghornGroup


Material: polypropylene

100% recyclable plastic



MARKING AND CUSTOMISATION

- Laser or thermal transfer marking
- 15 digits progressive numbering
- Up to 20 alphanumeric characters per line
- Customer logo upon request
- Barcode option
- Logo on relief for special orders and upon request



PACKAGING (Size 3.3x315 mm)

Carton with 1.000 sigilli – strip of 10 pz

Carton size: 56×33×19 cm

Carton weight: 3 kg

Pallet: 80x120x220cm – kg 235 with 72.000 pcs

Pallet: 100x120x220cm – kg 306 with 96.000 pcs

PACKAGING (Size 3.3x425 mm)

Carton with 1.000 sigilli – strip of 10 pz

Carton size: 56×33×24 cm

Carton weight: 3,5 kg

Pallet: 80x120x220cm – kg 210 with 54.000 pz

Pallet: 100x120x220cm – kg 272 with 72.000 pz

Tensile strength tests: Pisa University

	<p>LABORATORIO UFFICIALE PER LE ESPERIENZE SUI MATERIALI DA COSTRUZIONE</p> <p>CENTRE OF THE DEPARTMENT OF CIVIL AND INDUSTRIAL ENGINEERING AT THE UNIVERSITY OF PISA</p>	<p>Test Report N° 87/22</p> <hr/> <p>Page 2/2</p>
---	--	---

TABLE 1 - Tensile strength tests results

Specimen #	Mark	Ultimate load [N]	Mean value [N]	Air Temperature [°C]	Test Date	Thermal treatment
1	SEALED A - N° 0560690	161.1	164.0	15.5	2011/03/01	no thermal treatment
2	SEALED A - N° 0560675	178.0		15.5	"	
3	SEALED A - N° 0560674	153.0		15.5	"	
4	SEALED A - N° 0560671	180.9	158.0	15.5	2011/03/03	specimens previously maintained for 24 hours at a temperature of +60°C
5	SEALED A - N° 0560672	165.6		15.5	"	
6	SEALED A - N° 0560673	127.6		15.5	"	
7	SEALED A - N° 0560686	178.7	158.9	15.5	"	specimens previously maintained for 24 hours at a temperature of -30°C.
8	SEALED A - N° 0560687	135.2		15.5	"	
9	SEALED A - N° 0560688	162.7		15.5	"	

Product description:

Adjustseal is an adjustable plastic seal manufactured by LeghornGroup for over 20 years.


Adjustseal has a diameter of 3.3mm and is available in two length sizes: 315mm and 425mm

It is made of polypropylene, 100% recyclable plastic and it is suitable to be used for different applications. Adjustseal is available in stock for immediate dispatch with LeghornGroup standard marking – SEALED and progressive numbering. It can be also customised with the company logo, exclusive progressive numbering, barcode or data matrix.

How to use it



Insert the seal tail inside the door handle holes.



Insert the tail of the seal in the back hole of the seal head.



Pull the tail of the seal as much as possible to guarantee maximum security.



Protection - Control - Identification - Tracking - Rfid solutions

www.leghorngroup.com

FINDUS@

info@leghorngroup.com



LeghornGroup S.r.l.

34/36 Via degli Arrotini

57121 Livorno (LI) Italy

www.leghorngroup.com

info@leghorngroup.com

LeghornGroup – India
www.leghorngroup.in

LeghornGroup – Italy
www.leghorngroup.it

LeghornGroup – U.S.A.
www.leghorngroup.com

LeghornGroup – Belgium
www.leghorngroup.be
www.leghorngroup.nl

LeghornGroup – Czech Republic
www.leghorngroup.cz
www.leghorngroup.pl

LeghornGroup – Greece
www.leghorngroup.gr

LeghornGroup – Republic of
Moldova
www.leghorngroup.ro

LeghornGroup – España
www.leghorngroup.es