



Plastic lead seals:  
Plombex




Pliers



Sealing wires



## Stainless steel sealing wire



### Product description:

- Annealed steel AISI 304
- Core wire:  $\varnothing$  mm 0.50
- Spiral wire:  $\varnothing$  mm 0.30
- Total diameter 1mm
- Standard spools: 1 kg – 400 m approx
- Standard spools: 0.5kg – 200 m approx



### Packaging:

(both for 1kg and 0.5kg spools)

- Carton with 24 kg
- Carton size: 40x30x20 cm
- Carton weight: 24kg
- Pallet: 80x120x95 cm, 768 kg



# Galvanised steel sealing wire



## Product description:


- Galvanised annealed steel
- Core wire:  $\varnothing$  mm 0.50
- Spiral wire:  $\varnothing$  mm 0.30
- Total diameter 1mm
- Standard spools: 1 kg – 400 m approx
- Standard spools: 0.5kg – 200 m approx

## Packaging:

(both for 1kg and 0.5kg spools)

- Carton with 24 kg
- Carton size: 40x30x20 cm
- Carton weight: 24kg
- Pallet: 80x120x95 cm, 768 kg

## Copper sealing wire



### Product description:



- Red copper annealed ASTM B 49,92 – UNI EN 1977 - 2000
- Core wire:  $\varnothing$  mm 0.50
- Spiral wire:  $\varnothing$  mm 0.30
- Total diameter 1mm
- Standard spools: 1 kg – 360 m approx
- Standard spools: 0.5 kg – 180 m approx

### Packaging:

(both for 1kg and 0.5kg spools)

- Carton with 24 kg
- Carton size: 40x30x20 cm
- Carton weight: 24kg
- Pallet: 80x120x95 cm, 768 kg

## Brass sealing wire



### Product description:

- Brass annealed
- Core wire:  $\varnothing$  mm 0.50
- Spiral wire:  $\varnothing$  mm 0.30
- Total diameter: 1mm
- Standard spools: 1 kg – 380 m approx
- Standard spools: 0.5kg – 190 m approx


### Packaging:

(both for 1kg and 0.5kg spools)

- Carton with 24 kg
- Carton size: 40x30x20 cm
- Carton weight: 24kg
- Pallet: 80x120x95 cm, 768 kg



## Nylon-copper sealing wire





### Product description:

- Nylon copper
- Core wire: Ø mm 0.60 - 100% Polyamide
- Spiral wire red annealed: Ø mm 0.30 according to ASTM 49,92 - UNI EN 1977 - 2000
- Total diameter: 1mm
- Standard spools: 300gr– 180 m approx

### Packaging:

- Carton with 36 spools – each spool 0.3kg
- Carton size: 40x30x18cm
- Carton weight: 11.20 kg
- Pallet: 80x120x95cm, 1152 spools

# Plastic coated stainless steel cable





## Product description:

- Seven stainless steel wire + PVC transparent plastic covered.
- Core diameter (stainless)  $\varnothing$  mm 0.32
- Total diameter: 1mm
- Standard spools: 100 m – 406 gr approx
- Standard spools: 250 m – 675 gr approx

## Packaging:

- Carton with 20 spools of 250m
- Carton size: 40x24x17cm
- Carton weight: 15kg
- Pallet: 80x120x111cm, 500kg, 640 spools

## Lead seals pliers



### **MISURE:**

ART 464/175 e 466/175: Length : 175 mm

ART 464/200 e 466/220: Length : 200 mm

**Art 464/175** : for seals up to 12 mm diameter



**Art 464/200** : for seals up to 15 mm diameter

**Art 466/175** : for seals up to 12 mm diameter

**Art 466/200** : for seals up to 15 mm diameter



## Plastic lead seals: Plombex 9 mm





### Product description:

- Shock-resistant polystyrene
- Suitable to be used with different sealing wires and appropriate pliers for the correct closure are required
- Diameter: 9mm
- Customisation with appropriate pliers
- Available colours: orange, silver, ivory, white, blue, yellow, grey, black, brown, red and green
- Further colours are available upon request

### Packaging

- Carton with 10000 seals. Upon request, product available in plastic bags of 1000 seals
- Carton size: 27x22x11cm
- Carton weight: 2.8 kg
- Pallet: 80x120x145cm, 384 kg, 1300000 seals

## Plastic lead seals: Plombex 13 mm



### Product description:




- Shock-resistant polystyrene
- Suitable to be used with different sealing wires and appropriate pliers for the correct closure are required
- Diameter: 13mm
- Customisation with appropriate pliers
- Available colours: orange, silver, ivory, white, blue, yellow, grey, black, brown, red and green
- Further colours are available upon request

### Packaging

- Carton with 10000 seals. Upon request, product available in plastic bags of 1000 seals
- Carton size: 40x24x17cm
- Carton weight: 5.6 kg
- Pallet: 80x120x175cm, 580 kg, 1000000 seals



# Twistseal: wire seal with numbering



## Product description:

- Polycarbonate and ABS seals
- Suitable to be used with different sealing wires and any pliers for the correct closure aren't required.
- Laser marking
- Progressive numbering up to 15 digits
- Barcode and company logo possibility
- Customisation up to 20 characters on one line
- Transparent or white body of the seal availability
- Working temperature:  $-30^{\circ}\text{C}$   $+60^{\circ}\text{C}$
- Available flag colours: orange, light blue, white, yellow, red and green
- Further colours are available upon request

## Flat tie – spools and pre-cut pieces



Available colours: green, black and white  
Spools up to 5000 meters.  
Upon request flat tie pre-cut pieces





Protection - Control - Identification - Tracking - Rfid solutions

[www.leghorngroup.com](http://www.leghorngroup.com)

# LeghornGroup presentation

For over 45 years now, LeghornGroup is a leading global manufacturer of security seals and electronic product and systems for identification, protection, control and tracking of goods and properties for different application.

The company has headquarters in Italy, seven subsidiaries worldwide, and owns two plastics and metal factories in Europe. LeghornGroup product portfolio with more than 120 items includes 19 models of high security seals compliant with ISO 17712:2013 – also passive RFID e-seals - and 46 plastic seals suitable for different application. LeghornGroup is at the forefront of manufacturing of sustainable seals with a wide range of 100% recyclable plastic seals, metal and electronic seals.

2023 LeghornGroup IT Team 7401-A680

Pictures and drawings are purely indicative. Sizes and colors are subject to change.



Protection - Control - Identification - Tracking - Rfid solutions

[www.leghorngroup.com](http://www.leghorngroup.com)

**FINDUS@**

[info@leghorngroup.com](mailto:info@leghorngroup.com)



**LeghornGroup** S.r.l.

34/36 Via degli Arrotini

57121 Livorno (LI) Italy

[www.leghorngroup.com](http://www.leghorngroup.com)

[info@leghorngroup.com](mailto:info@leghorngroup.com)

**LeghornGroup** – India  
[www.leghorngroup.in](http://www.leghorngroup.in)

**LeghornGroup** – Italy  
[www.leghorngroup.it](http://www.leghorngroup.it)

**LeghornGroup** – U.S.A.  
[www.leghorngroup.com](http://www.leghorngroup.com)

**LeghornGroup** – Belgium  
[www.leghorngroup.be](http://www.leghorngroup.be)  
[www.leghorngroup.nl](http://www.leghorngroup.nl)

**LeghornGroup** – Czech Republic  
[www.leghorngroup.cz](http://www.leghorngroup.cz)  
[www.leghorngroup.pl](http://www.leghorngroup.pl)

**LeghornGroup** – Greece  
[www.leghorngroup.gr](http://www.leghorngroup.gr)

**LeghornGroup** – Republic of  
Moldova  
[www.leghorngroup.ro](http://www.leghorngroup.ro)

**LeghornGroup** – España  
[www.leghorngroup.es](http://www.leghorngroup.es)

2023 LeghornGroup IT Team 7401-A680