



Mechanical security seals



PROTECTION - CONTROL - IDENTIFICATION - TRACKING - RFID SOLUTIONS



LeghornGroup vision
and values 04




High security seals
for container 06

Cable seals 10



Fixed length metal seals 15

Fixed length
plastic seals 17



Adjustable plastic
seals 19



Pull-tight plastic seals
with metal insert

27

Wire seals

32



Metal clip seals 37



Other plastic seals

41



Sealing wires

47

LeghornGroup vision and values

LeghornGroup srl established 1978 is a **manufacturer** and supplier of **security seals** and security products for protecting assets, specializing in applications for shipping and logistics.

Thanks to a wealth of experience and its in house design and production capabilities, LeghornGroup can provide a decisive and comprehensive response to every security related issue.

Its varied range of products, systems and bespoke solutions has allowed LeghornGroup to establish itself as one of the European leaders of this sector.

With sales offices in Europe, USA and India with production plants for plastic molding and metal parts, LeghornGroup has complete control over its range of products and an extensive worldwide client support network.

Furthermore, the company's computer and electronics division within the group have been working for over ten years to enhance LeghornGroup's security products with the most innovative technical features. Their aim: to protect our assets, data and information and make a better future for all of us.

LeghornGroup is committed to protecting goods and assets from tampering or pilferage, by using the most suitable solution (be it mechanical, electronic or a combination) providing not only maximum security but guaranteeing economic efficiency.



President's statement

"The most important contribution that a company can offer to social progress is to manage its activities in the most efficient possible way.

This means never losing sight of the values that are the foundation of any civil society. LeghornGroup has always been and continues to be engaged in activities that we believe are inseparable from our daily operations in the security sector, such as educational programs, donations and social commitment. "

Luciano Grapsa - President of LeghornGroup srl

Field of action

LeghornGroup's main aim is to operate efficiently, lucratively and responsibly in the security and anti tampering sector.

LeghornGroup's desire to be a focus point within this sector is supported by its strong commitment to manufacture and develop innovative and highly effective solutions.



Protection. We can protect your goods and assets with security seals and various products for tamper protection. The company can create bespoke, technical solutions to meet client's requirements.



Control. We ensure goods and people can be monitored using security products and integrated complete hardware and software solutions that allow the operator to monitor and intervene in real time, even remotely.



Identification. LeghornGroup's understanding of authentication along with their innovative technical products and solutions allow users to uniquely and securely identify, goods, vehicles, containers, animals and people.



Tracking. LeghornGroup's real time GPS tracking devices allow users to monitor location, status and movements of vehicles and people.



RFID Solutions. LeghornGroup also manufactures solutions for product authenticity; automatic identification systems using RFID to aid traceability of objects, animals and people, offering new and efficient operations to speed up the supply chain;

LeghornGroup aim is to be strongly customer focused, and provide a specific solution that completely meets their needs, which may differ from one client to the next. By working closely alongside clients, they are able to experience firsthand their problem and resolve it together.

On a daily basis the company not only works to broaden their understanding of some of the many issues related to illegal and criminal activities, but also the means to counteract them. LeghornGroup keeps a detailed data base on their various products in order to assist the police force with their fight against crime.

Furthermore, LeghornGroup provides an active online service to anybody who might need advice or is looking for a specific product within this sector.



NEPTUNESEAL

Bolt lock seal for container ISO 17712:2013

DESCRIPTION:

Neptuneseal designed and manufactured by LeghornGroup is a high-security bolt lock seal certified according to the requirements of the technical specification of the ISO 17712:2013 standard. The metal pin has an anti-spin construction to defeat high speed spin attempts at tampering. The clamping of the seal is metal-on-metal, i.e. metal pin vs metal bolt which is plastic coated. Therefore the seal keeps close despite damages that could be evident on the plastic part by spinning.

Any tampering attempt will give evidence of irreparable damage onto the bolt lock seal applied on the container.

PRINTING AND NUMBERING:

- Laser printing
- Sequential numbering up to 15 figures
- Barcode option
- Data Matrix option
- Customization up to 20 characters on one line
- Logo on request
- For substantial orders it's possible to recreate Company logo in relief

MATERIAL:

Plastic parts: polystyrene / ABS

CERTIFICATES:



Compliant with ISO 17712:2013 HSS (high security seal)
ISO 17025 Accredited Lab

AVAILABLE COLOURS:

Orange - Red - Yellow - Green - White - Light blue - Grey - Brown - Pink


PACKAGING:

- 250 seals per carton
- Carton size: 39x19x16cm
- Carton weight: 13,3 kg



FORKSEAL C

Barrier seal for container ISO 17712:2013




DESCRIPTION:

Forkseal® designed and manufactured by LeghornGroup is a barrier seal compliant with ISO 17712:2013. It is used to protect high value goods during container transports. Both the metal bar and the seal have the same numbering and customization. Forkseal protects container doors, guaranteeing 100% security against unwanted intrusion. It is recommended to lock it as tightly as possible, according to the sequence of holes on the metal bar.

PRINTING AND NUMBERING:

- Sequenced numbering up to 6 digits
- Three progressive numbering: on the bar, on the pin body and on the pin head
- Alphanumeric numbering possible
- Customization up to 20 characters
- Company logo available upon request
- Company logo and numbering can also be engraved on metal bar



MATERIAL:

Galvanized steel

AVAILABLE COLOURS OF LOCKING PIN

Red - Yellow - Blue - Orange - Green - Black - White
- Light Blue

CERTIFICATIONS:


Compliant with ISO 17712:2013
HSS (high security seal)
ISO 17025 Accredited Lab

PACKAGING:

- 25 seals per carton bagged separately
- Carton size: 50x20x15cm
- Carton weight: 15 kg

NEW FORKSEAL

Barrier seal for container ISO 17712:2013



DESCRIPTION:

New Forkseal® is compliant with ISO 17712:2013 and is the result LeghornGroup's many years experience in developing anti-loss, theft and tampering systems for cargo transportation. It is composed of a metal bar and a high security bolt lock seal.

PRINTING AND NUMBERING:

- Company logo and numbering can be engraved on metal bar and on bolt lock seal
- Sequenced numbering up to 6 digits
- Three progressive numbering: on the bar, on the pin head and on the barrel.
- Alphanumeric numbering possible
- Customization up to 20 characters
- Company logo available upon request
- Barcode possibility

MATERIAL:

Galvanized steel

AVAILABLE COLOURS OF BOLT LOCK (NEPTUNESEAL)



Red - Yellow - Green - White - Orange
Light blue - Grey - Brown - Pink.

CERTIFICATES:

Compliant with ISO 17712:2013
HSS (high security seal)
ISO 17025 Accredited Lab


PACKAGING:

- 25 seals per carton bagged separately
- Carton size: 50x20x15cm
- Carton weight: 15 kg



BLOCK BAR

Barrier seal for container ISO 17712:2013




DESCRIPTION:

Block bar seal® is compliant with ISO 17712:2013 and is the most economic barrier seal to block the central container's bars.

Progressive numbering only on the closure pin and on the bar.

PRINTING AND NUMBERING:

- Metallic engraved
- Sequenced numbering up to 6 digits
- Two progressive numbering: on the bar and on the pin head
- Customization up to 10 characters on one line
- Simple company logo available upon request only on the bar



MATERIAL:

Galvanized steel

COLOURS:

Steel galvanised

CERTIFICATIONS:

Compliant with ISO 17712:2013

HSS (high security seal)

ISO 17025 Accredited Lab

PACKAGING:

- Carton with 25 seals
- Carton size: 50x20x15 cm
- Carton weight: 13,5 kg


CABLESEAL 1x180

Cable seal with aluminium body

DESCRIPTION:

Cableseals 1x180mm are particularly suitable to control counter meters of electricity, water and gas thanks to the 1mm cable diameter. The body is completely made of anodised aluminium (*). The locking mechanism which is easy to pull-through, will lock upon insertion and prevent pull-back. There will be no way to open the seal unless by breaking it with good shears.

(*) Anodizing is a non-spontaneous electrochemical process by which a protective oxide layer forms on the surface of the treated metal and protects it from corrosion.



MATERIAL:

Body: Coloured aluminium (anodized)
Steel cable, diameter 1 mm
On demand: stainless steel cable

COLOURS:

Standard colours are:
RED - GREEN - LIGHT BLUE - GOLD

PACKAGING:

- Quantity per package: 1000 pieces
- Carton size: 30x28x15 cm
- Carton weight: 8 kg

DIMENSIONS:

Cable seal (diameter x length): 1x180 mm
Different cable lengths are available on demand.

PRINTING AND NUMBERING:

- Laser etching printing
- 15 digits sequential numbering
- Barcode and Data matrix option
- Up to 20 alphanumeric characters per line
- Company logo


CABLESEAL 1.5x180

Cable seal with aluminium body

DESCRIPTION:

Cableseal with diameter 1,5 mm is a versatile metal security seal that can be used for different applications. It is particularly suitable to control counter meters of electricity, water and gas. The body is completely made in anodised aluminium (*). Once inserted the opposite end of the cable into the hole and pulled it to the maximum possible extent, there will be no way to open the seal unless by breaking it with good shears.

(*) Anodizing is a non- spontaneous electrochemical process by which a protective oxide layer forms on the surface of the treated metal and protects it from corrosion.



MATERIAL:

Body: Coloured aluminium (anodized)
Steel cable, diameter 1,5 mm
On demand: stainless steel cable

COLOURS:

Standard colours are:
RED - GREEN - LIGHT BLUE - GOLD

PACKAGING:

- Quantity per package: 500 pieces
- Carton size: 30x28x15 cm
- Carton weight: 8,6 kg

DIMENSIONS:

Cable seal (diameter x length): 1,5x180 mm
Different cable lengths are available on demand.

PRINTING AND NUMBERING:

- Laser etching printing
- 15 digits sequential numbering
- Barcode and Data matrix option
- Up to 20 alphanumeric characters per line
- Company logo

CABLESEAL 2.5x200

Cable seal with aluminium body




DESCRIPTION:

Cableseals 2.5mm diameter are very flexible metal security seal. It is particularly suitable to lock valves in the industry sector or trucks and oil tankers in transports.

The body is completely made of anodised aluminium (*). The locking mechanism which is easy to pull-through, will lock upon insertion and prevent pull-back. There will be no way to open the seal unless by breaking it with good shears.

(*) Anodizing is a non-spontaneous electrochemical process by which a protective oxide layer forms on the surface of the treated metal and protects it from corrosion.



MATERIAL:

Body: Coloured aluminium (anodized)
Steel cable, diameter 2,5 mm
On demand: stainless steel cable

COLOURS:

Standard colours are:
RED - GREEN - LIGHT BLUE - GOLD

PACKAGING:

- Quantity per package: 500 pieces
- Carton size: 30x28x15 cm
- Carton weight: 9 kg

DIMENSIONS:

Cable seal (diameter x length): 2,5x200 mm
Different cable lengths are available on demand.

PRINTING AND NUMBERING:

- Laser etching printing
- 15 digits sequential numbering
- Barcode and Data matrix option
- Up to 20 alphanumeric characters per line
- Company logo

CABLESEAL 3.5x250


Cable seal with aluminium body ISO 17712:2013



DESCRIPTION:

Cableseal 3,5x250mm is a high security cable lock seal compliant with ISO 17712:2013. It is suitable to meet security requirements in container shipping or rail transport. The body is completely made of anodised aluminium (*). The locking mechanism which is easy to pull-through, will lock upon insertion and prevent pull-back. There will be no way to open the seal unless by breaking it with good shears.

(*) Anodizing is a non-spontaneous electrochemical process by which a protective oxide layer forms on the surface of the treated metal and protects it from corrosion.



MATERIAL:

Body: Coloured aluminium (anodized)
Steel cable, diameter 3,5 mm
On demand: stainless steel cable

COLOURS:

Standard colours are:
RED - GREEN - LIGHT BLUE - GOLD

PACKAGING:

- Quantity per package: 500 pieces
- Carton size: 39x29x19 cm
- Carton weight: 19,2 kg

DIMENSIONS:

Cable seal (diameter x length): 3,5x250 mm
Different cable lengths are available on demand.

PRINTING AND NUMBERING:

- Laser etching printing
- 15 digits sequential numbering
- Barcode and Data matrix option
- Up to 20 alphanumeric characters per line
- Company logo

CABLESEAL 5x250

Cable seal with aluminium body ISO 17712:2013




DESCRIPTION:

Cableseal 5x250mm is a high security cable lock seal compliant with ISO 17712:2013. It is suitable to meet security requirements in container shipping or rail transport.

The body is completely made of anodised aluminium (*). The locking mechanism which is easy to pull-through, will lock upon insertion and prevent pull-back. There will be no way to open the seal unless by breaking it with good shears.

(*) Anodizing is a non-spontaneous electrochemical process by which a protective oxide layer forms on the surface of the treated metal and protects it from corrosion.



MATERIAL:

Body: Coloured aluminium (anodized)
Steel cable, diameter 5 mm
On demand: stainless steel cable

COLOURS:

Standard colours are:
RED - GREEN - LIGHT BLUE - GOLD

PACKAGING:

- Quantity per package: 250 pieces
- Carton size: 39x29x19 cm
- Carton weight: 16,2 kg

DIMENSIONS:

Cable seal (diameter x length): 5x250 mm
Different cable lengths are available on demand.

PRINTING AND NUMBERING:

- Laser etching printing
- 15 digits sequential numbering
- Barcode and Data matrix option
- Up to 20 alphanumeric characters per line
- Company logo

BALLOONSEAL

Metal strap seal




DESCRIPTION:

Balloonseal is a fixed length metal seal impossible to remove without leaving evidence of tampering.

For a correct application, insert the metal strap fully until the locking tooth clicks twice into place. After the seal has been blocked, it's impossible to reopen it without breaking it and leaving any evidence of tampering.

SIZES:

- Width : 9,5 mm
- Length : 215 mm



PRINTING AND NUMBERING:

- Relief or laser printing
- Sequenced numbering up to 7 digits
- Customization up to 16 characters on one line
- The customisation and numbers are printed in relief directly on the metal strap

MATERIAL:


Plated aluminium

PACKAGING:

- Carton with 1000 seals per carton divided into bags of 100 sequential numbered seals
- Carton size: 39.5x29x20 cm (15.55"x11.41"x7.9")
- Carton weight: 8,5 kg

STRAPSEAL

Metal strap seal



DESCRIPTION:

Strapseal is a flat fixed length metal seals that offers an extreme security and high visibility even from longer distance.

Easy to handle, it is also suitable for truck and trailer tarpaulins and swap-body.

STANDARD SIZES:

- Width : 7 mm
- Length : 210 mm

PRINTING AND NUMBERING:

- Hot print printing
- Sequenced numbering up to 6 digits
- Alphanumeric numbering possible
- Customization up to 20 characters
- Company logo available upon request

MATERIAL:


Steel

AVAILABLE COLOURS OF LOCKING PIN

Red -Yellow - Blue - Orange - Green - Black - White - Light Blue

PACKAGING:

- 1 carton = 1000 pcs
- Carton size: 29x20x15 cm
- Carton weight: 7 kg





HORNSEAL

Fixed length plastic seal 7x215mm and 7x260mm



DESCRIPTION:

Hornseal is a cost-effective fixed length plastic seal. It is manufactured in two different length sizes: 215mm and 260mm. Single click locking action for user-friendly application of seal. It is laser marked with writing and progressive numbering. 100% recyclable seal.

SIZES:

- Width : 7 mm
- Length : 215mm and 260mm

MATERIAL:

Polypropylene

AVAILABLE COLOURS:


Red - Yellow - Blue - Green - White - Black - Orange - Light blue - Pink.

PRINTING AND NUMBERING:

- Laser printing
- Sequenced numbering up to 15 digits.
- Customization up to 20 characters on one line
- Small company logo available upon request

PACKAGING:

- Carton with 1000 seals - strip of 10 pcs
- Carton size: 24x38x19 cm
- Weight: 1,9 kg





RINGLABELSEAL

Fixed length plastic seal 7x215mm and 7x260mm



DESCRIPTION:

Ringlabel seal is an economical fixed length plastic seal. It is manufactured in two different length sizes: 215mm and 260mm. Single click locking action for user-friendly application of seal. Ringlabel seal offers an additional printing surface such as customer logo, barcode or QR code thanks to the tag. 100% recyclable seal.

SIZES:

- Width : 7 mm
- Length : 215mm and 260mm
- Tag : 20x40 mm

PRINTING AND NUMBERING:

- Laser printing
- Sequenced numbering up to 15 digits
- Barcode and Qr code option
- Customization up to 20 characters on one line
- Company logo available upon request

MATERIAL:


Polypropylene

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange - Light Blue - Pink

PACKAGING :

- Carton with 1000 seals - strip of 10 pcs
- Carton size: 37x24x23 cm
- Carton weight: 2,5 kg





TWIGGYSEAL

Adjustable plastic seal 2,2x190mm and 2,2x250mm



DESCRIPTION:

Twiggy seal by LeghornGroup is an adjustable length plastic seal suitable for those situations in which low tensile strength is required, allowing the seal to get easily broken.

Twiggy seal is manufactured in two different lengths, laser marked and made of 100% recyclable plastic.

SIZES:

- Diam : 2,2 mm
- Length : 190 mm and 250mm
- Label : 22x45 mm

PRINTING AND NUMBERING:


- Laser printing
- Sequenced numbering up to 15 digits
- Barcode and Qr code option
- Customization up to 20 characters on one line
- Company logo available upon request

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange Light blue - Grey - Brown - Pink.

PACKAGING:

- Carton with 1000 seals strip of 10 pcs
- Carton size: 30x24x22 cm
- Carton weight: 1,4 kg





HEBESEAL

Adjustable plastic seal 1.8x133mm




DESCRIPTION:

Hebeseal by LeghornGroup is an adjustable length plastic seal suitable for those situations in which low tensile strength is required, allowing the seal to get easily broken.

Hebe seal is made of 100% recyclable plastic.

SIZES:

- Diam : 1.8 mm
- Length : 133mm
- Label : 19x23 mm



PRINTING AND NUMBERING:

- Laser printing
- Sequenced numbering up to 7 digits
- Customization up to 15 characters on one line
- Company logo available upon request

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Light blue - Pink.

PACKAGING:

- Carton with 1000 seals strip of 10 pcs
- Carton size: 25x25x20 cm
- Carton weight: 1,6 kg



ADJUSTSEAL

Adjustable plastic seal 3,3x315mm and 3,3x425mm



DESCRIPTION:

Adjustseal by LeghornGroup is designed to provide security applications and reduce losses in a variety of industries. It is a cost effective seal made of 100% recyclable plastic and with a ridged tail. It can be manufactured in two different tail length versions: 315mm or 425mm.

SIZES:

- Diam : 3,3 mm
- Length : 315 mm and 425mm
- Label size : 22x50 mm

PRINTING AND NUMBERING:

- Thermal transfer or laser printing
- Sequenced numbering up to 15 digits
- Barcode and Qr code option
- Customization up to 20 characters on one line
- Company logo available upon request
- For special orders, logo printing in relief.

MATERIAL:


Copolymer polypropylene

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange Light blue – Pink
- Violet

PACKAGING:

- Carton with 1.000 seals- strip of 10 pcs
- Carton size: 56x33x19 cm
- Carton weight: 3,5 kg



BAGSEAL and EASYTIGHT

Adjustable plastic seal 6x294mm and 6x420mm



DESCRIPTION:

Bagseal and Easytight adjustable plastic seals are fully plastic seals 100% recyclable.

They come as single item, one seal separated from another.


Bagseal and Easytight seals models have a second tail ending into a hole, which can be used to hang additional informative labels.

They can be used to close small bags or sacks used for material sample carriage or in transportation, specifically for tarpaulin trucks or tank trucks.

To guarantee the highest security, it is necessary to pull tight the seal up to its maximum capability and cut the sticking out tail.

SIZE:

- Width: 6 mm
- Length: Bagseal 294 mm; Easytight 420mm



PRINTING AND NUMBERING:

- Laser printing
- Sequential numbering up to 15 digits
- Barcode and Qr code option
- Up to 20 alphanumeric characters per line
- Company logo
- Special customisation on quantities with logo embossing

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange - Light blue - Grey - Brown - Pink - Violet.

PACKAGING:

- Carton with 1.000 pieces - NO STRIP
- Carton size: 56x39x21 cm
- Carton weight: 4 kg
- Available on request in bags of 100 sequentially numbered pieces

SIMPLESEAL and LONGSEAL

Adjustable plastic seal 6x294mm and 6x420mm with tear-off tag



DESCRIPTION:

Simpleseal and Longseal are adjustable plastic seals manufactured in strips of 10 pieces and sequentially numbered.

Made of 100% recyclable plastic, they also have tear-off tag to avoid using unsafe cutting tools that might injury operators.

They can be used to secure valuables moving by any road transport mean, including tank trucks and tarpaulin trucks.


Very useful also to seal medium-sized bags.

Sided ring to hang additional information tag.

To guarantee the highest security, it is necessary to pull tight the seals up to its maximum capability around locking rings or bag necks and cut the exceeding tail.

SIZE:

- Width: 6 mm
- Length: Simpleseal 294; Longseal 420 mm



PRINTING AND NUMBERING:

- Laser printing
- 15 digits sequential numbering
- Barcode and Qr code option
- Up to 20 alphanumeric characters per line
- Company logo
- Special customisation on quantities with embossed logo

MATERIAL:

Copolymer polypropylene

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange - Light blue - Grey - Brown - Lilac - Pink.

PACKAGING:

- Carton of 1.000 pieces in strip of 10 pcs
- Carton size: 56x46x24 cm
- Carton weight: 5,5 kg



TITANSEAL

Adjustable plastic seal 5x328mm and 5x424mm




DESCRIPTION:

Titanseal is an adjustable security seals made of 100% recyclable plastic. It has a large tag for different customization options: barcode, QR code, logo and progressive numbering. It comes in two different lengths of 328mm and 424mm. Tear-off tag possibility or standard version.

SIZES:

- Width : 5 mm
- Length : 328 mm and 424mm
- Label size : 72x110 mm



PRINTING AND NUMBERING:

- Thermal or laser printing
- Sequenced numbering up to 15 digits
- Barcode and Qr code option
- Customization up to 20 characters on one line
- Company logo available upon request
- For special orders, logo printing in relief

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange - Light blue - Grey - Brown - Pink.

PACKAGING:

- Carton with 500 seals
- Carton size: 47x39x12 cm
- Carton weight: 4,5 kg



HERAKLIS SEAL

Adjustable plastic seal 5x298mm and 5x394mm



SIZE:

- Width: 5 mm
- Length: 298 mm and 394mm
- Label size: 72x80 mm

MATERIAL:

Copolymer polypropylene

PRINTING AND NUMBERING:

- Thermal printing
- Sequential numbering up to 15 digits
- Barcode and Qr code option
- Up to 20 alphanumeric characters per line
- Company logo
- Special customisation on quantities with logo embossing

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange Light blue - Grey - Brown - Pink.

PACKAGING:

- Carton of 500 pieces in strip of 5 pieces each
- Carton size: 56x39x21 cm
- Carton weight: 4.7 kg


DESCRIPTION:

Heraklis seal is an adjustable plastic seal, fully recyclable.

Its large tag allows different information to be marked on the seal.

The seal is manufactured in two different lengths of 298mm and 394mm with tear-off tag possibility upon request.

Post-office mailbags or sacks can be secured with Heraklis seal.





ORIONSEAL

Adjustable plastic seal 5x258mm and 5x354mm



DESCRIPTION:

Orionseal is an adjustable security seals, fully made of recyclable plastic. It is manufactured in two different length tail sizes of 258mm and 354mm. It's tag dimension allows Orionseal to be suitable for different applications.

SIZES:

- Width : 5 mm
- Length : 258 mm and 354mm
- Label size : 72x40 mm

MATERIAL:

Copolymer polypropylene

PRINTING AND NUMBERING:


- Thermal printing
- Sequential numbering up to 15 digits
- Barcode and Qr code option
- Customization up to 20 alphanumeric characters per line
- Company logo
- Special customisation on quantities with logo embossing

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange - Light blue - Grey - Brown - Pink.

PACKING:

- Carton with 500 seals
- Carton size: 56x39x21 cm
- Carton weight: 3,5 kg



FRISSEAL 2x315

Pull-tight plastic seal with double numbering



DESCRIPTION:

Frissoseal is a pull-tight plastic seals with metal insert. It has a tear-off tag receipt which is very useful for double checking operation and provide a higher level of security. Customization will be the same on both tag and tear-off tag receipt.

Size:

- Diameter : 2 mm
- Length : 315 mm

PRINTING AND NUMBERING:

- Thermal printing
- Sequenced numbering up to 15 digits.
- Customization up to 20 characters on one line
- Company logo available upon request
- For special orders, logo printing in relief

MATERIAL:


Copolymer polypropylene

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange
Light blue - Grey - Brown - Pink


PACKAGING:

- Carton with 1000 seals - strips of 10 pieces
- Carton size: 56x33x19 cm
- Carton weight: 3.5 kg



JUPITERSEAL 1.3mm


Pull-tight plastic seal with metal inserted locking mechanism



DESCRIPTION:

Jupiterseal 1,3mm diameter is a pull-tight plastic seal with stainless steel spring locking mechanism that enhances security once applied. Tear-off tag may be added upon request on the standard version.

Its small 1.3mm strap diameter is suitable for applications with small sealing apertures such as meters, fire extinguisher etc.



SIZES:

- Diam : 1,3 mm
- Length : 225 mm
- Label size : 22x50 mm

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange - Light blue - Grey - Brown - Pink - Violet

PRINTING AND NUMBERING:

- Thermal or laser printing
- Sequenced numbering up to 15 digits
- Barcode and Qr code option
- Customization up to 20 characters on one line
- Company logo available upon request
- For special orders, logo printing in relief

PACKAGING:

- Carton with 1.000 seals- strip of 10 pcs
- Carton size: 56x33x19 cm
- Carton weight: 2 kg


JUPITERSEAL 2mm

Pull-tight plastic seal with metal inserted locking mechanism



DESCRIPTION:

Jupiterseal 2mm diameter is a pull-tight plastic seal with stainless steel spring locking mechanism and available in two different length sizes: 315mm or 425mm. Tear-off tag may be added upon request on the standard version.



SIZES:

- Diam : 2 mm
- Length : 315mm and 425 mm
- Label size : 22x50 mm

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange - Light blue - Grey - Brown - Pink - Violet

PRINTING AND NUMBERING:

- Thermal or laser printing
- Sequenced numbering up to 15 digits
- Barcode and Qr code option
- Customization up to 20 characters on one line
- Company logo available upon request
- For special orders, logo printing in relief

PACKAGING:

- Carton with 1.000 seals- strip of 10 pcs
- Carton size: 56x34x25 cm
- Carton weight: 3,5 kg


JUPITERSEAL 3.3mm

Pull-tight plastic seal with metal inserted locking mechanism



DESCRIPTION:

Jupiterseal with 3.3mm diameter is a pull-tight plastic seals with metal inserted locking mechanism that is manufactured both with tail length 315mm and 425mm. Tear-off tag may be added upon request on the standard version. Self-locking seal - no tools required - it is suitable for different applications.



SIZES:

- Diam : 3,3 mm
- Length : 315mm and 425mm
- Label size : 22x50 mm

PRINTING AND NUMBERING:

- Thermal or laser printing
- Sequenced numbering up to 15 digits
- Barcode and Qr code option
- Customization up to 20 characters on one line
- Company logo available upon request
- For special orders, logo printing in relief

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black -
Orange - Light blue - Grey - Brown - Pink - Violet

PACKAGING:

- Carton with 1.000 seals- strip of 10 pcs
- Carton size: 56x34x20 cm
- Carton weight: 4 kg

HECTORSEAL 7.5mm


Pull-tight plastic seal with metal inserted locking mechanism



DESCRIPTION:

Hectorseal is a pull-tight plastic seal with metal insert suitable for applications requiring a higher level of security. Tear-off tag version available upon request. Thanks to its high breaking strength, it is suitable to be used in different application such as maritime transport, road transport, cargo and postal companies, rail freight, supermarkets etc.

It is available in two different length size: 430mm and 510mm.



SIZE:

- Width: 7,5 mm
- Length: 430 mm and 510mm

PRINTING AND NUMBERING:

- Laser printing
- 15 digits sequential numbering
- Barcode and Qr code option
- Customization up to 20 alphanumeric characters per line
- Company logo
- Special customization on quantities with embossed logo

AVAILABLE COLOURS:

Red - Yellow - Green - White - Black - Orange - Light blue

PACKAGING:

- Carton of 1.000 pcs.
- Carton size: 44x40x24 cm
- Carton weight: 7,5 kg

ANCHORCLICK

Wire security seal



DESCRIPTION:

Anchorclick is a low-profile wire security seals made either in polycarbonate or polystyrene. It is suitable to be used with different sealing wire and doesn't require any crimping pliers to be correctly closed.

HOW TO USE:

Insert the wire in the holes on the seals' body
Push the "anchor" part in the hole.
Press with the fingers till the seal is really closed. If it clicks by closing the safe closure is guaranteed.

PRINTING AND NUMBERING:

- Laser printing
- Sequenced numbering up to 15 digits
- Customization up to 20 characters on one line
- For special orders, logo printing in relief

MATERIAL:

- Polycarbonate
- Polypropylene


AVAILABLE COLOURS (TRANSPARENT)

Red - yellow - blue - orange - white - violet- green.


PACKAGING:

- Carton with 5000 seals
- Carton size: 56x24x46 H cm
- Carton weight: 10 kg

SIDE A



SIDE B



ANCHORFLAG

Wire security seal



DESCRIPTION:

Anchorflag is a low-profile wire security seals made either in polycarbonate or polystyrene. It is suitable to be used with different sealing wire and doesn't require any crimping pliers to be correctly closed.

Thanks to the additional flag, logo and barcode are available as marking option.

HOW TO USE:

Insert the wire in the holes on the seals' body. Push the "anchor" part in the hole.

Press with the fingers till the seal is really closed. If it clicks by closing the safe closure is guaranteed.

PRINTING AND NUMBERING:

- Laser printing
- Sequenced numbering up to 15 digits
- Barcode option
- Customization up to 20 characters on one line
- Company logo available upon request
- For special orders, logo printing in relief

MATERIAL:


- Polycarbonate
- Polypropylene

AVAILABLE COLOURS (TRANSPARENT and OPAQUE)

Red - yellow - blue - orange - white - violet - green

PACKAGING:

- Carton with 5000 seals
- Carton size: 56x24x46 H cm
- Carton weight: 12 kg





TWISTSEAL

Wire security seal

DESCRIPTION:

Twistseal is a cost-effective wire seal ideal for sealing small locking holes. Transparent body allows a prompt inspection of the seal's locking mechanism. To close, turn the handle of the seal 360°. Once closed, it is advisable to snap off the handle. It is impossible to tamper the seal once it is secured.

Twistseal is suitable to be used with the different types of sealing wires.

PRINTING AND NUMBERING:

- Laser printing
- Sequenced numbering up to 15 digits
- Barcode and Qr code option
- Customization up to 20 characters on one line
- Company logo available upon request
- For special orders, logo printing in relief

MATERIAL:



- Polycarbonate
- ABS

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange.

PACKAGING:

- Carton with 1000 seals in bags of 100 pieces numbered in sequence
- Carton size: 40x40x15 cm
- Carton weight: 4 kg
- Carton with 5000 seals in bags of 100 pieces numbered in sequence
- Carton size: 60x40x35 cm
- Carton weight: 18 kg



TRITONSEAL

Wire security seal



DESCRIPTION:

Tritonseal is a wire security seal which doesn't require any crimping pliers to be correctly closed.

It is generally used with different types of sealing wires.

The two lateral sides can be customised with writings and progressive numbering either with hot printing or laser marking.

SIZES:

- Width : 9 mm
- Length : 13 mm
- Height : 27 mm

PRINTING AND NUMBERING:



- Hot printing or laser printing
- Sequenced numbering up to 7 digits
- Customization up to 20 characters on one line

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Orange - Black - Light blue.

PACKAGING:

- Carton with 1000 seals packed in boxes with each 100 pieces
- Carton size: 40x22x15 cm
- Carton weight: 5 kg



PLOMBEX

Plastic custom seals: 9mm and 13mm



DESCRIPTION:

PloMBEX seals are plastic custom seals that come in two different diameter: 9mm and 13mm. They require seals press and sealing wire to be correctly applied.

SIZES:


- Diameter : 9 mm
- Diameter : 13 mm

They are mainly used to seal fire extinguishers, drums, meters or first aid kit but they may have a decorative function in the food and cosmetic industry.

PloMBEX are available in different colors including silver and gold.

13 mm

9 mm



CUSTOMIZATION:

Using suitable press.

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange
- Light blue - Grey - Brown - Silver - Gold.

PACKAGING:

PLOMBEX 09 (diam: 9 mm)

- Carton of 10.000 pcs
- Carton size: 21x15x15 cm
- Carton weight: 3 kg

PLOMBEX 013 (diam: 13 mm)

- Carton of 10.000 pcs
- Carton size: 35x24x22 cm
- Carton weight: 6 kg



CRIMPSEAL

Completely aluminum self locking seal



DESCRIPTION:

Crimpseal is a completely aluminium and self-locking seal. It can be used with different type of sealing wires, steel or nylon cables and twine.

SIZES:

- Width : 5 mm
- Length : 37 mm (open)
- Length : 19 mm (lo)

PRINTING AND NUMBERING:

- Metallic engraved
- Sequenced numbering up to 6 digits.
- Customization up to 10 characters on one line
- Company logo available upon request

MATERIAL:

Aluminium
Galvanized iron

AVAILABLE COLOURS

Aluminium - Red - Gold - Blue - Green


PACKAGING:

- Carton with 5.000 pcs bulk
- Carton with 5.000 pcs. in bags of 1000 pcs.
- Carton with 10.000 pcs. bulk
- Carton with 10.000 pcs. in bags of 1000 pcs.
- Carton with 5.000 pcs. in strips of 20 pcs.
- Carton with 10.000 pcs. in strips of 20 pcs.


OPEN



LOCKED (side a)




LOCKED (side b)



ALLUSEAL

Completely aluminum seal



DESCRIPTION:

Alluseal is a completely aluminum security seal. It is suitable to be used with several sealing wires and requires appropriate pliers in order to be correctly applied.

SIZES:

- Diam. Ext. : mm 5
- Diam. Inside hole : mm 2
- Length : mm 12



CUSTOMISATION:

Using suitable press

MATERIAL:

Seals 99,9 % pure aluminum

PACKAGING:

- Carton with 15.000 pcs
- Carton size: 26x19x22 cm
- Carton weight: 7,4 kg



CRALUSEAL


Completely aluminum seal




DESCRIPTION:

Craluseal is an aluminum seal secure and extremely affordable. Once the seal's flag has been pressed around the wire with the appropriate pliers, it's impossible to reopen the seal again without breaking it.


Craluseal is generally used for refineries, customs and meters and is suitable to be used with different sealing wires.




Art 100



110



130



150

PRINTING AND NUMBERING:

- Sequenced numbering up to 6 digits
- Customization with up to 12 characters and authentic reproduction of company logo

MATERIAL:

Plated Aluminum

STANDARD AVAILABLE COLOURS:

- Natural aluminium
- Golden aluminium (galvanized)
- Green aluminium (galvanized)
- Blue aluminium (galvanized)

PACKAGING TYPE 1:

- Carton box 1.000 per box in cartons of 10.000 pcs
- Carton size: 39x26x35 cm

PACKAGING TYPE 2:

- Plastic bag of 1.000 pcs n cartons of 10.000 pcs
- Carton size: 28x32x56 cm
- Weight:
 - Model 100: kg 4,60
 - Model 110: kg 5,20
 - Model 130: kg 5,80
 - Model 150: kg 5,90

CRALUPLIER

Appropriate pliers for Craluseal



DESCRIPTION:

Craluplier is the appropriate pliers to correctly close Craluseals by rolling the tongue of the seal.

SIZES:


230x170mm

CUSTOMIZATION:

- Customization can be made on the pair of pliers (up to 7 characters)
- Embossed logo or text : up to 6 characters


PACKAGING:

- Carton with 1 pcs
- Carton size: 28x11x4cm
- Carton weight: 0,7 kg



URANUS SEAL

Plastic seal for fire extinguishers




DESCRIPTION:

Uranus seal is a plastic seal for fire extinguisher.

It is used as plastic pin to block the fire extinguisher security system.

Easily removable by pulling the seal head up. It is generally manufactured in yellow and red colour but additional ones are available upon request.



AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Orange

PACKAGING:

- Card-board box with 10.000 pieces
- Carton size : 37x24x13 cm
- Carton weight: 2 kg

DRUMLOCK

Plastic seal for drums



DESCRIPTION:

Drumlock series includes three different types of seal, specifically designed to lock the tie-type closure of drums.

Different sizes are available to meet any need of various drum locking systems.

Once that Drumlock has been properly put in place, the only way to open the drum is by breaking the seal, thus providing evidence of tamper.

PRINTING AND NUMBERING:

- No numbering
- Embossed logo upon request (for volume quantities)

MATERIAL:

Polypropylene

SIMILAR PRODUCTS:

- Small T.B. DRUMLOCK
- Standard T.B. DRUMLOCK
- T.C. DRUMLOCK
- DRUMSEAL (numbered)

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black

PACKAGING:

T.B. STANDARD:


- Carton with 10.000 pcs
- Carton size: 60x40x40 cm
- Carton weight: 10 kg

T.B. SMALL:

- Carton with 20.000 pcs
- Carton size: 60x40x20 cm
- Carton weight: 8 kg

T.C.:

- Carton with 10.000 pcs
- Carton size: 60x40x40 cm
- Carton weight: 10 kg



TOTEBOX SEAL

Plastic seal for tote box




DESCRIPTION:

Totebox seal is a designed locking mechanism for specific models of tote boxes. Easy application and no tools are need for removal.

CUSTOMIZATION:

For special orders, logo printing in relief.



MATERIAL:

Polypropylene

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Orange Light blue.

PACKAGING:

- Carton with 1.000seals
- Carton size:15x15x21 cm
- Carton weight: 1,2 kg

POSTALBLOCK

Plastic seal for tote box



DESCRIPTION:

Postalblock is a plastic closure that can be used several times. A light pressure with the fingers is enough to let the mechanism “click” in.

MATERIAL:

Polypropylene

RESISTANCE TEST:


Carried out from - 30° to + 60°

CUSTOMIZATION:

For special orders, logo printing in relief.

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange - Light blue



ZIPSTOP SEAL

Standard and long barcoded



DESCRIPTION:

Zipstop standard and Zipstop long seals are plastic seals used to secure the special locking mechanism of security bags. The seals do perfectly fit to LeghornGroup zip holder on security bags.

The standard version may just be marked with writings and progressive numbering while the long one may also include the barcode.

MATERIAL:

Polypropylene

PRINTING AND NUMBERING:

- Laser printing
- Sequenced numbering up to 15 digits
- Barcode option (only on LONG version)
- Customization up to 20 characters on one line
- Company logo available upon request

AVAILABLE COLOURS:

Red - Yellow - Blue - Green - White - Black - Orange - Light blue - Grey - Brown - Pink.

PACKAGING:


ZIPSTOP STANDARD :

- Carton with 5.000 seals - strip of 40 pcs
- Carton size: 28x21x10 cm
- Carton weight: 2,5 kg


PACKAGING:

ZIPSTOP LONG - BARCODE:

- Carton with 2.500 seals - strip of 40 pcs
- Carton size: 28x21x10 cm
- Carton weight: 3 kg



ZIPSTOP STANDARD




ZIPSTOP LONG FOR BARCODE

CONNECTIONLOCK

Seals for meters

DESCRIPTION:

Connectionlock is a simple and effective system to protect the pipe- fittings of meters. Transparent body allows a prompt inspection. It is made of two parts fitting permanently one into the other and once positioned on the pipe-fitting, it is possible to seal it with a progressive numbered wire seal, e.g. Twistseal.




SIZES:

ART 311 : L:26mm R1: 16mm R2: 22mm
Fit to DN20 (3/4") meters

ART 312 : L:30mm R1: 16mm R2: 24,5mm
Fit to DN20 (3/4") bold fittings

ART 313 : L:28mm R1: 19mm R2: 27mm
Fit to DN25 (1") meters

ART 314 : L:38mm R1: 29mm R2: 39mm
Fit to DN40 (1½") meters



MATERIAL:

Polycarbonate (PC)

SEQUENTIAL NUMBERING AND CUSTOMISATION:

- Laser printing
- Sequenced numbering up to 6 digits.(Not necessary)
- Customization up to 20 characters on one line
- Company logo available upon request
- For special orders, logo printing in relief

AVAILABLE COLOURS:

Transparent Red - Transparent Yellow - Transparent Blue
- Transparent Green - Transpert White
On demand: Opaque Red - Opaque Yellow - Opaque
Blue - Opaque Green - Opaque White

PACKAGING:

Art: 311

- Carton with 500 seals
- Carton size: 40x60x35 cm
- Carton weight: 13 kg

Art: 312

- Carton with 500 seals
- Carton size: 40x60x38 cm
- Carton weight: 13 kg

Art: 313


- Carton with 500 seals
- Carton size: 40x60x35 cm
- Carton weight: 14 kg

Art: 314

- Carton with 250 seals
- Carton size: 40x60x35 cm
- Carton weight: 9 kg

SEALING WIRE

1mm diameter galvanized steel sealing wire



MATERIAL CLASSIFACTION:

Galvanized annealed steel

COMPOSITION:

Core wire: Ø mm 0.50 - Spiral wire: Ø mm 0.30

STANDARD SPOOL:

1 Kg = 400 m appx

0.5 Kg = 200 m appx

**STRUCTURAL
CARACTERISTICS:**

COIL DISTANCE:

2.00 mm (50 coils per 100 mm)

SURFACE CARACTERISTICS:

SURFACE SATE: ZINC COATING .

Minimum zinc coating 20gr/m2

CHEMICAL BREAKDOWN:


C%	Mn%	P%	S%
0,08	0,45	0,035	0,035

MECHANICAL CARACTERISTICS:

TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm ²
1	10%	300/450

SEALING WIRE

1mm diameter stainless steel sealing wire



MATERIAL CLASSIFICATION:

Annealed steel AISI 304

COMPOSITION:

Core wire:

Ø mm 0.50 - Spiral wire: Ø mm 0.30

STANDARD SPOOL:

1 Kg = 400 m appx

0.5 Kg = 200 m appx

STRUCTURAL CHARACTERISTICS:

COIL DISTANCE: 2.00 mm (50 coils per 100 mm)

SURFACE CHARACTERISTICS:

SURFACE STATE: GLOSSY

CHEMICAL BREAKDOWN:


C%	Mn %	Si%	Ni%	Cr%	P%	S%
<= 0.08	<= 2.00	<= 1.00	8.00 – 10.50	18.00 – 20.00	<= 0.045	<= 0.030

MECHANICAL CHARACTERISTICS

TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm ²
1.00	10%	700/750

SEALING WIRE

1mm diameter copper sealing wire



MATERIAL CLASSIFICATION:

Red copper annealed
ASTM B 49,92 - UNI EN 1977 - 2000

COMPOSITION:

Core wire:
Ø mm 0.50 - Spiral wire: Ø mm 0.30

STANDARD SPOOL:

1 Kg = 360 m appx
0.5 Kg = 180 m appx

STRUCTURAL CHARACTERISTICS:

COIL DISTANCE: 2.00 mm (50 coils per 100 mm)

SURFACE CHARACTERISTICS:

SURFACE STATE: GLOSSY

ELONGATION: 23-23%

MECHANICAL CHARACTERISTICS


TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm ²
1.00	10%	210/220

CHEMICAL BREAKDOWN

Cu%	Fe%	Pb%	As%	Ag%	Ni%	Sn%	S%
99,974	0,0035	0,0013	0,0011	0,0011	0,0008	0,0009	0,004

SEALING WIRE

1mm diameter brass sealing wire



MATERIAL CLASSIFICATION:

Brass annealed

COMPOSITION:

Core wire: Ø mm 0.50 -

Spiral wire: Ø mm 0.30

STANDARD SPOOL:

1 Kg = 380 m appx

0.5 Kg = 190 m appx

MECHANICAL CHARACTERISTICS

TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm ²
1.00	10%	400/430

STRUCTURAL CHARACTERISTICS:

COIL DISTANCE: 2.00 mm (50 coils per 100 mm)

SURFACE CHARACTERISTICS:


SURFACE STATE: GLOSSY

CHEMICAL BREAKDOWN

Cu%	Zn%	Pb%	Fe%	Al%	Ni%	Sn%	S%
67,000	32,000	0,010	0,0014	0,010	0,049	0,016	0,05

SEALING WIRE

1mm diameter nylon-copper sealing wire



MATERIAL CLASSIFICATION:

Nylon - Copper

COMPOSITION:

Core nylon : Ø 0.6 mm - 100%
Poliammide
Spiral: red ANNEALED copper : Ø 0.3 mm . in conformity of ASTM 49,92 - UNI EN 1977 - 2000

STANDARD SPOOL:

300 g = 180 m appx



STRUCTURAL CHARACTERISTICS:

COIL DISTANCE: 1,50 mm (66 coils per 100 mm)

MECHANICAL CARACTERISTICS		
TOTAL DIAMETER mm	TOLERANCE Ø	BREAKING LOAD N/mm²
1.00	10%	159/178

SEALING WIRE

Plastic coated stainless steel sealing wire



DESCRIPTION:

- Seven stainless steel wire diam: 0,32 mm + PVC transparent plastic covered.
- Total diam 0,90 mm
- Stainless steel cable approximate weights and lengths
- 100m reel is equal to 406g
- 250m reel is equal to 675g

1 MM DIAMETER STAINLESS STEEL SEALING WIRE TECHNICAL DATA

GRADE	N.W. (kg)	TS (Mpa)	EL %
304	483,88	785	75

1 MM DIAMETER STAINLESS STEEL SEALING WIRE CHEMICAL COMPOSITION (%)

C	Si	Mn	P	S	Cr	Ni
0,03	0,43	1,30	0,026	0,008	18,23	8,03

FINDUS@



LeghornGroup – Italy
www.leghorngroup.it

LeghornGroup – U.S.A.
www.leghorngroup.com

LeghornGroup – Belgium
www.leghorngroup.be
www.leghorngroup.nl

LeghornGroup – India
www.leghorngroup.in

LeghornGroup – Czech Republic
www.leghorngroup.cz
www.leghorngroup.pl

LeghornGroup – Greece
www.leghorngroup.gr

LeghornGroup – Republic of Moldova
www.leghorngroup.ro

LeghornGroup – Spain
www.leghorngroup.es



PROTECTION - CONTROL - IDENTIFICATION - TRACKING - RFID SOLUTIONS